

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J		PAGE OF PAGES 1 2	
2. AMENDMENT/MODIFICATION NO. 0004		3. EFFECTIVE DATE 24 July 2003		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. (If applicable)	
6. ISSUED BY U.S. ARMY ENGINEER DISTRICT, ALBUQUERQUE CORPS OF ENGINEERS 4101 JEFFERSON PLAZA, N.E. ALBUQUERQUE, NEW MEXICO 87109-3435		CODE		7. ADMINISTERED BY (If other than Item 6)		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				(✓)		9A. AMENDMENT OF SOLICITATION NO.	
				✗		DACA47-03-R-0030	
				✗		9B. DATED (SEE ITEM 11) 26 June 2003	
				✗		10A. MODIFICATION OF CONTRACTS/ORDER NO.	
CODE				FACILITY CODE		10B. DATED (SEE ITEM 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended.							
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:							
(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
<input checked="" type="checkbox"/> A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)							
PROJECT: DESIGN/BUILD VISITING QUARTERS, KIRTLAND AIR FORCE BASE, NEW MEXICO							
1. This is Amendment No. 4 to Solicitation No. DACA47-03-R-0030; 26 June 2003. The following revisions shall be incorporated into the specifications. All other provisions shall remain unchanged.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
(Signature of person authorized to sign)				BY (Signature of Contracting Officer)			
NSN 7540-01-152-8070 PREVIOUS EDITION UNUSABLE		30-105-02		STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243		USAPPC V1.00	

2. SOLICITATION OFFER, AND AWARD, Standard Form 1442: In Block 13A, change the date for receipt of proposal from "31 Jul 2003" to "01 Aug 2003".

3. SPECIFICATIONS: Delete the following listed pages and substitute the pages attached hereto. On the revised pages, for convenience, changes are emphasized by the amendment number in parentheses before and after changes from the previous issue. All portions of the revised (or new) pages shall apply whether or not changes have been indicated.

Delete Page

Insert Page

Volume 1 of 3

01010-22

01010-22

/////////LAST ITEM/////////

etc.) and associated soil parameters. The FDA shall also discuss deformation sensitive areas of ceramic tile, quarry tile, or similar floor materials and the foundation design requirements for those areas.

4.6.1 Subgrade Preparation. The FDA shall include requirements for appropriate subgrade preparation within and five feet beyond the limits of the structures, including but not limited to excavation of unsuitable materials, replacement with satisfactory, non-expansive fill, capillary water barrier requirements, fill compaction requirements, etc. Degree of compaction for subgrade of structures shall be expressed as a percentage of the maximum density obtained by the test procedure presented in ASTM D 1557 (Procedure as appropriate for material being tested.)

4.7 **Pavement Design Analysis.** The Contractor shall prepare a Pavement Design Analysis (PDA). The PDA shall include a brief discussion of the subsurface conditions and pavement requirements for the project, design and analysis of the required pavements, and an indication of the required pavement sections to be used on this project. The narrative and all data shall be prepared and presented in the format shown in the Government-furnished Pavement Design Analysis Format Example presented in the Appendix. The pavement and pavement materials recommendations in the PDA shall be incorporated in the site development and design for the facility. CESWD-AEIM Plates II-C-23 through II-C-40 shall be followed as applicable when preparing pavement section and detail drawings. Plates II-C-44 and II-C-45 shall be followed where utility cuts are required in existing pavements. Where utility trenches pass beneath new or existing pavements, the trench backfill shall be a material meeting the requirements appropriate for pavement subgrades. Expected vehicular traffic includes 125-130 POV's.

(4) 4.7.1 Flexible Pavement Design. POV parking areas and any required access roads shall be designed as flexible pavements (Asphaltic Concrete). Flexible pavement shall be designed in accordance with the applicable technical criteria referenced in paragraph, "Technical Criteria". (4)

(2) 4.7.2 Rigid Pavement. The loading dock, dumpster approach pad, dumpster pad and other paved areas adjacent to the facility shall be designed as rigid pavements (Portland Cement Concrete). The minimum thickness of concrete pavement shall be six (6) inches. Rigid pavement shall be designed in accordance with the applicable technical criteria referenced in paragraph, "Technical Criteria" and paragraph, "Portland Cement Concrete". (2)

4.8 **Specifications.** The geotechnical-related specifications listed below shall be used in the design and construction package. The Contractor shall edit these specifications as applicable to fit site and project specific requirements. Additional geotechnical related specifications may be required as determined by the Contractor, or as recommended by the Contracting Officer. If additional geotechnical related specifications are required, the Contractor shall select and edit the appropriate specification from the Unified Facilities Guide Specifications (UFGS), subject to approval by the Corps of Engineers. The following specifications shall be used:

- (1) 02300 - Earthwork